

プローブ・ヘッド 作成可能ピッチ  
 <利用可能周波数帯域については別途お問い合わせください>

ピッチ(μm)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	450	500	550	600	650	675	700	750	800	850	900	950	1000	1250	1400	1500	2000	2500	3000			
ACP40-GS	50	75	100	125	150	175	200	225	250	275	300		350	375	400	450	500	550	600	650		700	750	800	850	900	950	1000	1250		1500						
ACP40-SG	50	75	100	125	150	175	200	225	250	275	300		350	375	400	450	500	550	600	650		700	750	800	850	900	950	1000	1250		1500						
ACP40-GSG	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	450	500	550	600	650			750	800	850	900	950	1000	1250		1500						
ACP40-GSG-XXXRC			100	125	150	175	200		250																												
ACP40-W-GS		75	100	125	150		200		250		300		350		400	450	500		600	650			750	800		900		1000	1250								
ACP40-W-SG		75	100	125	150		200		250		300		350		400	450	500		600	650			750	800		900		1000	1250								
ACP40-W-GSG	50	75	100	125	150	175	200		250		300		350		400	450	500		600	650			750	800		900		1000	1250								
ACP40-W-GSG-XXXRC			100	125	150		200		250																												
ACP40-L-GS			100	125	150		200		250			325					500																				
ACP40-L-SG				125	150		200		250			325					500																				
ACP40-L-GSG	50	75	100	125	150	175	200		250			325	350		400		500			650									1250								
ACP40-LW-GS			100	125	150		200				300		350		450																						
ACP40-LW-SG			100	125	150		200				300		350		450																						
ACP40-LW-GSG			100	125	150		200		250																												
ACP40-A-GS	50	75	100	125	150	175	200	225	250	275	300		350	375	400	450	500	550	600	650			750	800	850	900	950	1000	1250								
ACP40-A-SG	50	75	100	125	150	175	200	225	250	275	300		350	375	400	450	500	550	600	650			750	800	850	900	950	1000	1250								
ACP40-A-GSG	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	450	500	550	600	650			750	800	850	900	950	1000	1250								
ACP40-A-GSG-XXXRC			100	125	150		200		250																												
ACP40-AW-GS		75	100	125	150		200		250		300		350		400	450	500		600	650		700	750	800		900		1000	1250								
ACP40-AW-SG			100	125	150		200		250		300		350		400	450	500		600	650		700	750	800		900		1000	1250								
ACP40-AW-GSG	50	75	100	125	150	175	200		250		300		350		400	450	500		600	650			750	800		900		1000	1250								
ACP40-AW-GSG-XXXRC			100	125	150		200		250																												
ACP50-GS	50	75	100	125	150		200		250	275	300						500												1250								
ACP50-SG	50	75	100	125	150		200		250	275	300						500	550											1250								
ACP50-GSG	50	75	100	125	150	175	200	225	250	275	300		350			450	500																				
ACP50-GSG-XXXRC			100	125	150		200																														
ACP50-W-GS			100	125	150		200		250						450	500																					
ACP50-W-SG			100	125	150		200		250						450																						
ACP50-W-GSG	50		100	125	150	175	200		250																												
ACP50-W-GSG-XXXRC			100	125	150																																
ACP50-A-GS	50	75	100	125	150		200		250		300						500												1250								
ACP50-A-SG	50	75	100	125	150		200		250	275	300						500	550											1250								
ACP50-A-GSG	50	75	100	125	150	175	200	225	250				350			450	500		600																		
ACP50-A-GSG-XXXRC			100	125	150		200																														
ACP50-AW-GS			100	125	150		200		250						450	500																					
ACP50-AW-GS-XXXRC			100																																		
ACP50-AW-SG			100	125	150		200		250						450																						
ACP50-AW-SG-XXXRC			100																																		
ACP50-AW-GSG	50		100	125	150	175	200		250				350				500																				
ACP50-L-GS					150		200																														
ACP50-L-SG					150		200																														
ACP50-L-GSG			100	125	150		200																														
ACP65-GS			100																																		
ACP65-GSG	50		100	125	150		200		250																												
ACP65-GSG-XXXRC				125	150																																
ACP65-W-GSG			100	125	150				250																												
ACP65-W-GSG-XXXRC			100																																		
ACP65-L-GSG			100		150		200																														
ACP65-A-GSG			100	125	150		200		250				350																								
ACP65-A-GSG-XXXRC			100	125	150				250																												
ACP65-AW-GSG			100		150		200																														
ACP65-AW-GSG-XXXRC			100																																		

プローブ・ヘッド 作成可能ピッチ  
 <利用可能周波数帯域については別途お問い合わせください>

ピッチ(μm)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	450	500	550	600	650	675	750	800	850	900	950	1000	1250	1400	1500	2000	2500	3000	
ACP110-GSG			100	125	150		200		250																									
ACP110-A-GSG			100	125	150		200		250																									
ACP110-AW-GSG			100		150																													
ACP110-C-GSG	50		100	125	150		200		250																									
ACP110-CW-GSG			100	125	150																													
ACP110-L-GSG	50		100	125	150		200	225	250																									
ACP110-LW-GSG	50		100	125	150																													

ピッチ(μm)	50	75	100	125	150	175	200	225	250	300	325	350	400	450	500	550	600	650	675	750	800	850	900	950	1000	1250	1400	1500	2000	2500	3000					
I40-GS	50	75	100	125	150		200	225	250																											
I40-SG	50	75	100	125	150		200		250																											
I40-GSG	50	75	100	125	150	175	200		250																											
I40-GSG-xxx-HC			100	125	150	175	200	225	250																											
I40-A-GS	50	75	100	125	150	175	200		225	250																										
I40-A-SG	50	75	100	125	150	175	200	225	250																											
I40-A-GSG	50	75	100	125	150		200	225	250																											
I40-A-GSG-xxx-HC			100	125	150	175	200	225	250																											
I50-GS	50	75	100	125	150	175	200		250																											
I50-SG	50	75	100	125	150	175	200		250																											
I50-GSG	50	75	100	125	150		200		250																											
I50-GSG-xxx-HC			100	125	150	175	200	225	250																											
I50-A-GS	50	75	100	125	150		200		250																											
I50-A-SG	50	75	100	125	150		200		250																											
I50-A-GSG	50	75	100	125	150		200		250																											
I50-A-GSG-xxx-HC			100	125	150	175	200	225	250																											
I67-GS	50	75	100	125	150		200		250																											
I67-SG	50	75	100	125	150		200		250																											
I67-GSG	50	75	100	125	150		200		250																											
I67-GSG-xxx-HC			100	125	150	175	200	225	250																											
I67-A-GS	50	75	100	125	150		200		250																											
I67-A-SG	50	75	100	125	150		200		250																											
I67-A-GSG	50	75	100	125	150		200		250																											
I67-A-GSG-xxx-HC			100	125	150	175	200	225	250																											
I110-GSG	50	75	100	125	150																															
I110-A-GSG	50	75	100	125	150																															
I75-S-GSG-XXX-BT	50	75	100	125	150																															
I75-T-GSG-XXX-BT	50	75	100	125	150																															
I90-S-GSG-XXX-BT	50	75	100	125	150																															
I90-T-GSG-XXX-BT	50	75	100	125	150																															
I110-S-GSG-XXX-BT	50	75	100	125	150																															
I110-T-GSG-XXX-BT	50	75	100	125	150																															
I140-S-GSG-XXX-BT	50	75	100	125	150																															
I140-T-GSG-XXX-BT	50	75	100	125	150																															
I170-S-GSG-XXX-BT	50	75	100	125	150																															
I170-T-GSG-XXX-BT	50	75	100	125	150																															
I220-S-GSG-XXX-BT	50	75	100	125	150																															
I220-T-GSG-XXX-BT	50	75	100	125	150																															

ピッチ(μm)	50	75	100	125	150	175	200	225	250	300	325	350	400	450	500	550	600	650	675	750	800	850	900	950	1000	1250	1400	1500	2000	2500	3000		
FPC-GS			100	125	150	175	200	225	250	300	325	350	400	450	500	550	600	650	675	750	800	850	900	950	1000	1250	1400	1500	2000	2500	3000		
FPC-SG			100	125	150	175	200	225	250	300		350	400	450	500	550	600	650	675	750	800	850	900	950	1000	1250	1400	1500	2000	2500	3000		
SP-FPC-GS-xxx-RC			100				200			300					500								900		1000								3000
SP-FPC-SG-xxx-RC			100				200			300					500										1000								3000
FPC-GSG			100	125	150	175	200	225	250	300	325	350	400	450	500	550	600	650	675	750	800	850	900	950	1000	1250	1400	1500	2000	2500			
FPC-W-GS			100	125	150		200		250			350			500			650	675	750					1000	1250							

プローブ・ヘッド 作成可能ピッチ  
 <利用可能周波数帯域については別途お問い合わせください>

ピッチ(μm)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	450	500	550	600	650	675	700	750	800	850	900	950	1000	1250
ACP40-D-GSGSG			100	125	150		200		250		300	325					500		600										
ACP40-DW-GSGSG			100	125	150		200		250								500												
ACP40-D-GSGSG-XXXRC																													
ACP40-DW-GSGSG-XXXRC			100	125	150																								
ACP40-D-GSGS			100		150		200		250								500												
ACP40-DW-GSGS			100		150																								
ACP40-D-GSGS-XXXRC																													
ACP40-DW-GSGS-XXXRC																													
ACP40-D-GSS			100	125	150	175	200		250																				
ACP40-DW-GSS			100		150																								
ACP40-D-GSS-XXXRC																													
ACP40-DW-GSS-XXXRC																													
ACP40-D-GSSG			100	125	150	175	200	225	250		300		350		400		500		600	650				800		900		1000	1250
ACP40-DW-GSSG			100	125	150	175	200		250																				
ACP40-D-GSSG-XXXRC																													
ACP40-DW-GSSG-XXXRC			100				200																						
ACP40-D-SGS			100	125	150	175	200		250		300		350				500												1250
ACP40-DW-SGS			100	125	150		200		250																				
ACP40-D-SGS-XXXRC																													
ACP40-DW-SGS-XXXRC			100		150																								
ACP40-D-SGSG				125	150		200	250																					
ACP40-DW-SGSG			150				200																						
ACP40-D-SGSG-XXXRC				125			200																						
ACP40-DW-SGSG-XXXRC																													
ACP40-D-SS			100	125	150		200	225	250		300		350				500												
ACP40-DW-SS			100																										
ACP40-D-SS-XXXRC																													
ACP40-DW-SS-XXXRC																													
ACP40-D-SSG			100	125	150	175	200		250																				
ACP40-DW-SSG				100	150																								
ACP40-D-SSG-XXXRC																													
ACP40-DW-SSG-XXXRC																													
ACP50-D-GSGSG			100	125	150		200		250								500												
ACP50-DW-GSGSG			100		150		200		250																				
ACP50-D-GSGSG-XXXRC					150				250																				
ACP50-DW-GSGSG-XXXRC			100	125																									
ACP50-D-GSSG					150		200										500												
ACP50-DW-GSSG							200										500												
ACP50-D-SGS					150																								
ACP65-D-GSGSG			100		150		200																						
ACP65-DW-GSGSG			100		150																								
ACP65-DW-GSGSG-XXXRC			100																										
ACP65-D-GSSG			100		150				250																				
ACP65-D-SGS			100																										
ACP110-D-GSGSG			100		150				250																				
ACP110-DW-GSGSG			100		150																								
I40-D-GSGSG			100	125	150	175	200	225	250																				
I40-D-GSSG			100	125	150	175	200	225	250																				
I40-D-SGS			100	125	150		200	225	250																				
I50-D-GSGSG			100	125	150	175	200	225	250																				
I50-D-GSSG			100	125	150	175	200	225	250																				
I50-D-SGS			100	125	150		200																						
I67-D-GSGSG			100	125	150	175	200	225	250																				
I67-D-GSSG			100	125	150		200	225	250																				
I67-D-SGS			100	125	150		200	225	250																				